






# Dimensions TS 100 TriStar



**Series** TS 100 TriStar

Jaw width 100 mm

Clamping force 25 kN at 55 Nm


**Clamping jaws and the associated jaw openings see data sheet WS 4.330Z**

Dimensions in mm


\* Tolerance  $\pm 0.01$  mm

\*\* Tolerance  $\pm 0.02$  mm

\*\*\* Tolerance  $\pm 0.03$  mm




View from below



Series		TS 100 TriStar		
Version		3rd-hand	Vector	Vector
Variant			1 x central jaw	2 x fixed jaw
<b>H</b>	<b>[mm]</b>	<b>562</b>	<b>599</b>	<b>599</b>
Stroke	[mm]	2 x 44	2 x 44	2 x 40
h1	[mm]	320	320	360
h2	[mm]	156	156	146
h3	[mm]	100	100	100
h4	[mm]	35	35	35
Weight without clamping jaws	[kg]	104	107	107
<b>Part no. without clamping jaws</b>		<b>933650232</b>	<b>933750232</b>	<b>933950232</b>

# Dimensions TS 125 TriStar



**Series** TS 125 TriStar

Jaw width 125 mm

Clamping force 40 kN at 115 Nm


**Clamping jaws and the associated jaw openings see data sheet WS 4.330Z**

Dimensions in mm


\* Tolerance ±0.01 mm

\*\* Tolerance ±0.02 mm

\*\*\* Tolerance ±0.03 mm



View from below



Series		TS 125 TriStar		
Version		3rd-hand	Vector	Vector
Variant			1 x central jaw	2 x fixed jaw
<b>H</b>	[mm]	<b>707</b>	<b>750</b>	<b>745</b>
Stroke	[mm]	2 x 48	2 x 47	2 x 47
h1	[mm]	390	390	436
h2	[mm]	158	158	154
h3	[mm]	110	110	110
h4	[mm]	50	50	50
Weight without clamping jaws	[kg]	174	185	183
<b>Part no. without clamping jaws</b>		<b>933660332</b>	<b>933760332</b>	<b>933960332</b>